

DOPE.SECURITY

Secure Web Gateway + CASB Reinvented

Whitepaper




Table of Contents

01

BUILDING A DOPE COMPANY

PAGE 3

SHORTCOMINGS OF THE LEGACY SWG
RE-ARCHITECTING THE SWG

02

SSE UNDER A SINGLE CLOUD CONSOLE

PAGE 7

A FIRST-CLASS USER EXPERIENCE
INSTANT TRIAL
SINGLE SIGN-ON
A CLOUD-MANAGED ENDPOINT
INSTANT POLICY PUSH

03

DOPE.SWG: THE FLY-DIRECT SECURE WEB GATEWAY

PAGE 11

SSL INSPECTION
URL FILTERING
CLOUD APP CONTROL
ANALYTICS
ANTI-MALWARE

04

DOPE.CASB_NEURAL: LLM-POWERED DLP

PAGE 20

LLM-POWERED DATA LOSS PREVENTION
REMEDiation FROM THE CONSOLE
SAAS SECURITY POSTURE MANAGEMENT

05

APPENDIX

PAGE 25

NOT-SO-BUZZWORDS
COMPARING AGAINST LEGACY SSE

01

Building a *dope* company

Shortcomings of the Legacy SWG

The way we secured corporate workforces 20 years ago worked well for a while.

The legacy secure web gateway (SWG) sat on-premises and enforced a company policy via a hardware appliance proxy. These policies were set up by administrators and put in place to protect users from malicious content as well as blocking unwanted website categories like Social Media, Gambling or Adult Content.

Over time we've seen a "lift and shift" of this on-premises technology, to the cloud, in order to connect employees from outside the office. At the foundation of this cloud model is a heavy reliance on data centers and points of presence (POP) which are spread across the world. So instead of running policy checks and enforcement through hardware in the office, these requests are backhauled to these worldwide data centers. While this network of data center hops and backhauling can connect users on the go, it also results in slower internet speeds and load times, unreliable connections, and massive privacy concerns.


What the industry needs is a new direct-to-internet SWG that places reliability, privacy, and performance at the user's fingertips, and does not compromise end user experience.

WHY DO LEGACY COMPANIES STILL USE DATA CENTERS?

It's difficult for legacy companies to fully transition to the cloud due to their deep-rooted reliance on data center architectures developed over two decades. Despite adopting a "lift-and-shift" model to incorporate cloud technologies, completely abandoning data centers is challenging because they are ingrained in their systems. This setup keeps them from fully modernizing and leaves them open to security risks.

This is where dope.security comes in as a rearchitected solution.

Stopover data centers create a backhaul of traffic, slowing down access and introducing a point of vulnerability



Re- Architecting the SWG

Stemming from our personal experiences at these legacy cybersecurity companies, we heard first-hand many issues that customers faced with the cloud-proxy architecture. This inspired our team to start from the ground up and build something completely new that actually solved customer problems.

Our philosophy is simple: to provide a first class secure internet experience *that just works*. In order to do that we needed to address 3 key areas where cloud proxies today struggled—reliability, performance, and privacy.

Reliability

LEGACY

- Connection issues
- Incorrect locale
- Proxy restrictions
- Data center outages

DOPE.SECURITY

- No data center outages
- Fallback mode continues to enforce policy
- Caching of policies on device: remain secured even when our cloud is not reachable

Performance

LEGACY

- Data backhauling
- Slower load times
- Latency across the board
- 1-hr policy update times

DOPE.SECURITY

- No data backhauling
- Direct-to-internet connection
- 4x performance
- Instant policy updates: seconds ^(NOT HOURS) to update policies

Privacy

LEGACY


- SSL inspection and decrypting off-device
- Bypassing of entire categories to skip SSL inspection ^(I.E. HEALTHCARE, BANKING)

DOPE.SECURITY

- Decrypt and inspect SSL directly on your device
- Data remains locally with you
- Visibility across every category and web transaction

Today most cloud and on-prem proxy's are "frankensteined" together either through mergers and acquisitions or a multi-console user experience, and you can tell immediately that they just don't work well—they could be better.

dope.security is designed and built from the ground up, ensuring every component works seamlessly together. Our Fly-Direct SWG and CASB Neural live under a single console, so navigating from one to the next is only a click away. We've simplified the complex without sacrificing functionality. That means enterprise grade security with a consumer like ease of use. We've made SSE dope.



02


SSE under a single *cloud* *console*

A First-Class User Experience

Cybersecurity software isn't known for user experience, but that changes with dope.security, which looks and feels like a consumer application—it's easy to sign up for, easy to deploy, easy to manage, and intuitive to use.

The world is going this way across every sector, and cyber needs to catch up. A lot of this first-class user experience offered is due to removing the stopover data center as broken down in SECTION 1, but we've considered a lot more when building SSE products. First, all products are housed in a single cloud console. No more flipping through different windows, apps, and tabs to find the product you're looking for, and they all work seamlessly together.

From there, considerations across the console experience have been carefully curated to make your job *and life* easier—instant trial, easy syncing, real-time impact—features right when and where you need them. We're simplifying the process so you can do your complex job....simply.



Instant Trial

dope.security offers the only SWG you can trial instantly on your own, facilitated through a streamlined setup process enabled by our redesigned cloud-native architecture. Just login using Microsoft 365 or Google Workspace, and you'll install the agent software to your device. It'll begin inspecting traffic immediately without any configuration, extra hardware, or software installs.

A REDUNDANT TEST ENVIRONMENT

Legacy companies typically have test environments for POCs. Moving from a test environment to a production tenant requires throwing everything away and reconfiguration.

Once the initial setup is complete, gain instant access to the platform's features and start testing without a complex proof of concept ^(POC). Whether your company is small or large, you get a first-class experience.

Single Sign-On

ENDPOINT AUTHORIZATION

The dope.cloud manages the OIDC authorization between your user and the associated policy.

If you do not enable Endpoint Authentication and import your users, only the Base Policy can be configured. Visibility, policy customization and exceptions, and analytics are limited.

We use Single Sign-On (SSO) through OpenID Connect (OIDC) with Microsoft 365 and Google to authenticate and authorize users. This simplifies admin configuration into a one-click experience, without the pain of Security Assertion Markup Language (SAML) and System for Cross-Domain Identity Management (SCIM). Simple, effective SSO does the following:

- 1 Integrates automatically with your identity management IDP/IDaaS—i.e. Okta, Microsoft Entra ID (FORMERLY AZURE AD), Ping, Onelogin, etc.




- 2 Admins, end users, and their groups are automatically updated and deprovisioned

It really is one-click!

USER IMPORT

Import your users and groups with the click of a button. You'll stay synced—if a user leaves, their access is automatically revoked. If a user's group changes, their policy assignment follows suit.

A Cloud-Managed Endpoint



Endpoint Management lends a helping hand between endpoints and the policies they use. Quickly view the status of each endpoint and confirm they work as expected. After a dope.endpoint is installed, it registers with dope.cloud and reflects under Endpoints for real-time visibility.

FALLBACK SAFELY WITHOUT LOSING PROTECTION

Each dope.endpoint regularly checks its connection to the dope.cloud, and also sends its own health status (HEALTHY, FALLBACK, ERROR, ETC). In the event the dope.cloud cannot be reached, the endpoint will go into *Fallback Mode*.

THE LEGACY "FALLBACK" IS INSECURE. WHY?

With Legacy Fallback, when you *Fail Open*, all websites are allowed; when you *Fail Closed*, all websites are blocked. Our Fly-Direct Architecture is more user friendly and safer.

It continues to secure users, even in Fallback Mode, because all policies are cached on-device. Policies remain effective for accessed domains and apps, even if cloud services cannot be reached. This means uninterrupted secure internet access all the time.

FAIL CLOSED ON

Allows previously accessed websites to continue per the policy. New requests will be disabled for user safety.

FAIL CLOSED OFF


Allows previously accessed websites to continue per the policy. New requests will be allowed without security checks.

Instant Policy Push

Having to wait 30-60 minutes with existing cloud proxies for a policy update means you are left vulnerable to threat exposure during the time you're waiting for the refresh. Plus, we know it's just annoying for you to have to wait to test your changes, then wait, and test again. Our Fly-Direct architecture allows us to instantly update policies in real-time, reducing the policy enforcement wait time to seconds.


Polling creates frustration and vulnerabilities

Polling is the easiest way to implement a policy update mechanism which is why you see it often. *The downside?* It takes a lot of time before changes take effect leaving you frustrated and vulnerable.



OUR FIRST-CLASS EXPERIENCE

To make the admin's life easier, we built in push notifications. It's *bread and butter* in the consumer world, but an exquisite luxury in cybersecurity. In the time it would have taken you with waiting for polling, you can update your dope policy one hundred times over!



03

DOPE.SWG

The *Fly Direct* Secure Web Gateway

DOPE.SWG

The Fly-Direct SWG

With Fly-Direct, we found a way to eliminate the data center and provide a nonstop internet flight.

An on-device SSL Proxy inspects all application and internet traffic locally, keeping your data safe on your device. There are no data center stopovers. It's direct, instant, and invisible.

FEATURE BREAKDOWN


- 1 SSL Inspection
- 2 URL Filtering
- 3 Cloud App Controls
- 4 Analytics
- 5 Anti Malware



Mac native + Windows

4x
Performance

Compact
Less than 100 MB of RAM





SSL Inspection

With dope.swg you not only fly direct, you also fly private. This means your traffic and data do not leave your device with all SSL Inspection performed directly on endpoint.

THE BENEFITS OF PERFORMING SSL INSPECTION LOCALLY:

- 1 It's safer → Data never leaves your device
- 2 It's faster → No more decryption in a potential cross country data center
- 3 It's more reliable → Your decryption zone moves with you, so it's always available

Our approach to SSL inspection produces visibility across every web transaction. By contrast, legacy SWGs bypass entire domains for categories, such as healthcare and banking. These legacy companies know that there can be sensitive data in these categories, which will sit vulnerable decrypted in a data center.



Instant SSL Inspection Error Resolution

Sometimes SSL Inspection can cause certain URLs or applications to break, which is why SWG products have bypass lists. Typically when SSL inspection errors occur, admins must wait for a user to realize there is an issue, log a support a ticket, and then figure out what is causing it.



OUR FIRST-CLASS EXPERIENCE

When an SSL inspection error occurs, the dope.endpoint will report the URL/application to the dope.cloud. Admins can view these errors from the notification panel and add to bypass lists across the organization.

URL Filtering

Once you download the agent, a base policy is automatically deployed and enforces policy based on the most common category rules.

If you want to customize it, you can toggle the restriction levels for these website categories between *Allow*, *Block*, and *Warn*.



CUSTOM CATEGORIES

Although we have over 80 categories by default, sometimes that's not enough. It's easy to add your own custom categories. By adding a list of domains or URLs, you can create a custom category which can then be assigned a restriction level of *Block*, *Allow*, or *Warn*. Custom categories are shared globally, so toggle an unwanted category to *Ignore* to keep it out of a particular policy.

Policy writing in 3 steps

01 START WITH THE BASE POLICY

By default, we block the typical categories so you don't have to apply them yourself, e.g. Adult Material, Illegal, Piracy, Malicious, and more.

02 TOGGLE RESTRICTIONS

Example: the Base Policy allows "Chat/Messaging." You can toggle to *Block*, which will restrict the use of apps like WhatsApp and Messenger.

03 INSTANT POLICY PUSH

Once you hit save, your policy will be instantly enforced and deployed across your online devices, rather than having to wait up to an hour.

POLICY EXCEPTIONS

The dope.console lets you make category exceptions for certain users and groups in your organization so they can visit required websites. Use this to get granular for your user roles—for example, block “Social Media” across your organization, but allow it for your marketing team. *You know, for research.*

CUSTOM POLICY CREATION

Different geographical locations or specific user groups may require special requirements and customizations— create multiple policies to handle your organization’s needs. Upon creation, each new policy inherits the Base Policy, making maintenance of custom categories and Base Policy rules much easier—change once, and it applies everywhere. You’ll notice our console is significantly faster than any legacy SWG, and the complex procedural policy is replaced with a simpler user-friendly list.

WHY DO CERTAIN WEBSITES AND APPS BREAK?

- Certificate validation issues
- Hard-coded IP addresses or domains
- Application-specific SSL configurations


BYPASS SETTINGS

Websites and apps that typically break when proxied by any product can be bypassed, so they always work for your users. We’ve created a default list of standard URLs and Apps that break, but you can always add to your organization’s own custom list.

Cloud Application Control (CAC)


CAC add an additional layer of security by restricting specific app domains or tenants a user can access. Using this in parallel with URL filtering can drastically reduce the risk of data exfiltration while increasing end user productivity by limiting access to personal application accounts. Easily keep your data within the bounds of corporate-sanctioned apps.

Toggle consumer logins on and off and prevent users from accessing SaaS applications with unapproved logins, such as personal consumer accounts.



URL FILTERING

By setting “File Storage” to *Blocked* in your Policy, websites and apps such as Dropbox, WeTransfer, and Box cannot be accessed...




CLOUD APP CONTROL

...However if you enable File Storage Cloud apps like Box or Dropbox in the CAC Settings, corporate accounts will be allowed.


CAC READ ONLY: BLOCKING PERSONAL UPLOADS

With our CAC Read Only feature, organizations have the ability to allow personal access to the defined app, Microsoft 365 or Google, but block the ability to upload files and attachments to an employee’s personal accounts.


PERSONAL LOGINS



ALLOW PERSONAL LOGINS BUT BLOCK PERSONAL UPLOADS TO FILE STORAGE/EMAIL



ALLOW PERSONAL LOGINS AND ALLOW PERSONAL UPLOADS TO FILE STORAGE/EMAIL




Configuring CAC on most legacy SWGs is not possible. You’re often required to purchase and open a separate Cloud Access Security Broker^(CASB) console to create a new policy for those apps. Using dope.security, we’ve integrated these key policy features into the SWG, as they work better together, no separate policy or separate console required. You can control access to these industry cloud applications:



Analytics



Every data point you need under one roof. From policy violations to productivity stats to login detection, we’ve got you covered. Our analytics offer insights across all connected endpoints. Simple charts and graphs display intelligent and actionable data to help you understand how your policies perform daily, how productive your users are, and the data they access and share.

From first login to the console, the Analytics Overview map provides global visibility and a live view of all endpoint activity connected to your organization. From there, explore data by Policy, Productivity, Shadow IT, or a detailed table of all violations, or search across users, groups, and locations.




INTELLIGENT CHARTS AND DATA

Under the Policy and Productivity view, enjoy a 7-day view of visualizations that uncover organizational trends, user behavior, and workforce productivity through contextual and actionable features to inform policy adjustments



SHADOW IT

Extend your visibility to Shadow IT and uncover how users share data across your organization. Features provide application and location visibility on a per-app consumption basis, with a focus on the most data transferred. Use this visibility to take action—inform your policy updates, and assess areas of data exfiltration and non-compliance.



DIVE EVEN DEEPER

In addition to account emails, view AWS account IDs and Slack workspaces, and use them to update Cloud App Controls.

See a deeper breakdown of app account logins to identify where data is transferring. Identify and track which accounts are used for corporate or personal. You can see account information to these industry cloud applications:



Anti-Malware

The dope.swg leverages leading anti-malware service to determine file safety.


The goal is simple—capture and block files that may have malware. dope.swg’s anti-malware does the following:

- 1 Capture all file hashes from all downloads
- 2 Receive the status from the malware service
- 3 Cache the result for future use
- 4 Update the Analytics dashboard of the dope.console
- 5 Serve the result to the endpoint as *Allowed* or *Blocked*

The dope.endpoint locally inspects all downloads and computes each file hash. Upon a malware verdict, it will send the details to the dope.console for the admin.

EXAMPLE OF THE ANTI-MALWARE PROCESS

- 1 dope.endpoint captures and decrypts the traffic
Box.com is allowed through URL Filtering
- 2 We detect a file download on the endpoint
- 3 Before it is fully served to the calling application, we calculate the file hash and check the local cache to verify the file is benign:
Allowed or Blocked
- 4 If we haven't seen the file before, the hash is sent to the dope.cloud to verify if it is malware:
Allowed or Blocked



04

DOPE.CASB_NEURAL

LLM-Powered CASB Neural DLP

DOPE.CASB_NEURAL

CASB Neural

LLM-powered DLP for Cloud Apps


CASB Neural is the first of its kind leveraging deep learning AI and Large Language Models (LLM). We instantly crawl your Microsoft 365 or Google tenant and identify all publicly and externally shared files containing PII, PCI, PHI, and IP, and will automatically monitor for any file-sharing changes. This is done with zero pre-configurations.


FEATURE BREAKDOWN

- 1 Data Loss Prevention
- 2 SaaS Security Posture Management
- 3 Remediation from the Console

DOPAMINE
File summaries

One-Click
Onboarding and file unsharing



LLM-powered DLP



LLM-Powered Data Loss Prevention (DLP)

Today’s CASBs were supposed to be effective at limiting data exposure; however their DLP classifications rely on pattern matching, regexes, and a series manual rule configurations that result in a high number of false positives.

This is because regexes cannot understand the context of a document like a LLM does. Not to mention, these DLP solutions require pre-configuration before you can get your scan started.



WHAT ARE MY FILES CLASSIFIED AS?

Our LLM reviews your live files to find sensitive data to categorize


- IP
Intellectual Property
- PHI
Protected Health Information
- PCI
Payment Card Industry
- PII
Personal Identifiable Information
- Other Public Files

Once activated, CASB Neural automatically scans your SaaS tenant, discovers all public/externally shared files, and monitors for any file-sharing changes. Leveraging deep learning LLM, it comprehends these files to find IP, PII, PCI, and PHI data. In other words, it answers the question, “Is this sensitive?”

By leveraging LLMs and actually comprehending the files, we materially reduce the amount of false positives—this results in higher precision and accuracy. Previously, this had to be done using regex and pattern matching, i.e. a 16-digit number = a credit card. This shift from matching to true file comprehension is an industry first and completely reduces the administrative overhead.

INTRODUCING DOPAMINE DLP

Dopamine DLP provides a highly precise human-readable document summary alongside any sensitive data extractions. Upgrade your old-school DLP regexes and pattern matching with LLMs, and experience fewer false positives than ever before.



Sensitive data detected in document

CLASSIFICATIONS

All externally shared files as classified as containing PII, PCI, PHI, Intellectual Property, or just "Other" Public files

DOPAMINE HIT

Highly precise human-readable document summary alongside any sensitive data extractions

Users who have access to this file within and outside of your organization

Unshare, mark as reviewed, or reopen your file

DO WE SHARE YOUR DATA?

No! Our off-the-shelf LLM technology is private, with data segregation between clients. Your data will not be used to train the model.


See our [Data Processing Agreement](#) to read more.

ONE-CLICK REMEDIATION

Each dopamine hit helps the admin decide what to do next by giving a clear, accurate summary of the document. From there, they can remove the file-sharing permissions with one click from the console.


Legacy remediation is tedious

With legacy CASBs, any sensitive file incident is typically a false positive. This creates a flurry of noise and require re-configurations that makes it very difficult to get usable results.




OUR FIRST-CLASS EXPERIENCE

Our dopamine hit accurately summarizes the document, and can be confidently remediated with one-click.



SaaS Security Posture Management (SSPM)



Uncover all third-party apps connected to your Microsoft 365 or Google SaaS tenant, neatly organized by access type: global, limited, or login access. Review detailed data such as app access start date, app access capabilities, and user info.



05

Appendix

Not-so-buzzwords

Some common words you might see around

DOPE COMPONENTS

dope.cloud

A set of security services and APIs that maintain a connection between the endpoint and console

dope.console

The administrator's cockpit. The single point of control for all connected endpoints, providing visibility and troubleshooting capabilities at scale. It maintains the connection between an installed endpoint and cloud to keep defined policies up to date.

dope.endpoint

The on-device proxy that manages and enforces a company-defined policy. It autonomously performs all SWG functions, even when there is no cloud connection, so users remain safe at all times.

dope.swg

The dope.security direct-to-cloud proxy at the endpoint.

dope.casb_neural

The dope.security LLM-powered CASB DLP for Cloud Apps

STOPOVER DATA CENTER

The process of info stopping over at a data center to perform SSL Inspection and cybersecurity checks. Often conducted by many legacy SWG vendors.

ENDPOINT HEALTH STATUS

Healthy

A consistent heartbeat and successfully securing traffic

Dormant

The state that is triggered when an endpoint has not connected to the internet for more than 7 days.

Fallback

If an endpoint cannot reach the cloud it will enter Fallback Mode, triggering either a *Fail Open* or *Fail Close* setting that does not require internet access.

Error

Indicates an error state—i.e. service interruption, configuration error, SSL Certificate not installed.

Disabled

The endpoint is disabled.

Debug Mode

Diagnostics and troubleshooting within the console to restore an endpoint experiencing an error.

LEGACY [LEGACY VENDOR]

An organization's IT infrastructure, systems, hardware, or applications that are impossible to update or improve due to systems from the last 20 years.

Also refers to an organization's approach to building a complex technology or process.

LIFT-AND-SHIFT MODEL

The migration of physical hardware appliances (typically found at corporate headquarters) to the cloud, as a hosted SWG provided by a SWG vendor.

DOPE CATEGORIES

80+ PRECONFIGURED CATEGORIES

AI/ML Applications	Login/Challenge
Adult Material	Remote Desktop
Adult/Mature	Search Engines
Lingerie/Swimsuit	Software Downloads
Nudity	Translation
Pornography	URL Redirect
Sex Education	Internet Comm.
Business	Chat/Messaging
Alternative Currency	Email
Brokerage/Trading	Forums
Business/Economy	VOIP/Telephone
File Storage	Video Conferencing
Finance	Job Search
Marketing/Merch.	Newly Registered
Productivity Apps	News
Drugs	Non-Profit/Advocacy
Controlled Substances	Parked Site
Marijuana	Religion
Education	Alternative Ideology
Entertainment	Major Religions
Gen. Entertainment	Security
Humor/Comics	Malicious
Media Sharing	Phishing
Mixed Content	Potentially Unwanted Applications
Music/Audio	Promotional Comp.
Video Streaming	Proxy Avoidance
Extreme/Gruesome	Spam
Gambling	Suspicious
Games	Shopping
Government/Legal	Auctions/Classifieds
Military	Stores
Politics/Opinion	Society & Lifestyle
Hacking Tools	Alcohol
Hate/Discrim.	Arts/Culture
Health	Dating
Abortion	Digital Postcards
General Health	For Kids
Illegal	Hobbies/Recreation
Child Pornography/Abuse	Personal Lifestyle
Piracy/Plagiarism	Personal Sites/Blogs
Scam/Illegal/Unethical	Real Estate
Torrents/P2P	Reference/Encyclopedia
IT	Restaurants/Food
Ads/Analytics	Social Media
CDN/Content Servers	Tobacco
Cybersecurity Tech.	Sports
Dynamic DNS	Travel
Hosting	Vehicles
Information Tech.	Violence
Infrastructure/IOT	Weapons

Comparing against legacy SSE

	DS	Forcepoint	Zscaler	Symantec	Skyhigh Security	Cisco DNS	Netskope
SECURE WEB GATEWAY (SWG)	DATA CENTER RELIANCE	✗	✓	✓	✓	✓	✓
	URL FILTERING	✓	✓	✓	✓	✗	✓
	ANTI MALWARE	✓	✓	✓	✓	✗	✓
	CLOUD APP CONTROLS	✓	✓	✓	✓	✗	✓
	INSTANT POLICY UPDATES	✓	✗	✗	✗	✗	✗
	ON DEVICE SSL INSPECTION	✓	✗	✗	✗	✗	✗
	ENDPOINT DLP	Coming Soon	✓	✓	✓	✓	✗
CLOUD ACCESS SECURITY BROKER (CASB)	REGEX/PATTERN MATCH DLP	✗	✓	✓	✓	✗	✓
	AI/LLM POWERED DLP	✓	✗	✗	✗	✗	✗
	FILE SUMMARIES	✓	✗	✗	✗	✗	✗
	ONE-CLICK REMEDIATION	✓	✗	✗	✗	✗	✗
	SSPM	Coming Soon	✗	✓	✗	✗	✗
FIRST-CLASS EXPERIENCE (UX/UI)	SSO-ENABLED INSTANT TRIAL	✓	✗	✗	✗	✗	✗
	MAC NATIVE	✓	✗	✓	✓	✓	✓
	SINGLE CONSOLE	✓	✗	✗	✗	✓	✓
	AUTO-UPDATES	✓	✓	✓	✓	✓	✓

DOPE. SECURITY

DOPE = *Passion*. Design. Attention to detail. That's the difference with our on-device proxy, the Fly-Direct SWG. Paired with CASB Neural, the LLM-powered DLP, we build beautifully designed enterprise cybersecurity. So whether your company is small or large, you get a first-class experience.

It's not that we're mad at yesterday's solutions—just disappointed. So we made it better. We made it easier. *We made it dope.*